

# 132-S-816.1

## **Avaya**

Specialist: Modular Messaging with Microsoft Exchange Implement & Support Elective

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 132-S-816.1 exam in first attempt and also get high scores to acquire Avaya certification.

If you use OfficialCerts 132-S-816.1 Certification questions and answers, you will experience actual 132-S-816.1 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Avaya exam prep covers over 95% of the questions and answers that may be appeared in your 132-S-816.1 exam. Every point from pass4sure 132-S-816.1 PDF, 132-S-816.1 review will help you take Avaya 132-S-816.1 exam much easier and become Avaya certified.

Here's what you can expect from the OfficialCerts Avaya 132-S-816.1 course:

- \* Up-to-Date Avaya 132-S-816.1 questions as experienced in the real exam.
- \* 100% correct Avaya 132-S-816.1 answers you simply can't find in other 132-S-816.1 courses.
- \* All of our tests are easy to download. Your file will be saved as a 132-S-816.1 PDF.
- \* Avaya 132-S-816.1 brain dump free content featuring the real 132-S-816.1 test questions.

Avaya 132-S-816.1 certification exam is of core importance both in your Professional life and Avaya certification path. With Avaya certification you can get a good job easily in the market and get on your path for success. Professionals who passed Avaya 132-S-816.1 exam training are an absolute favorite in the industry. You will pass Avaya 132-S-816.1 certification test and career opportunities will be open for you.

http://janetdailey.com/?certs=exams.asp?examcode=132-S-816.1

#### **QUESTION:** 1

Which three are necessary to ensure that the SIP configuration is taking calls? (Choose three.)

- A. Avaya Communication Manager R3.0
- B. Avaya SES at the supported software version
- C. Avaya Communication Manager at the supported software version
- D. RFA/WebLM License with signed certificate for Modular Messaging License
- E. T1-QSIG cards in the Avaya Messaging Application Server (MAS) wired to the PBX

Answer: B, C, D

#### **OUESTION: 2**

What is the maximum hardware configuration allowed with Modular Messaging for Microsoft Exchange?

- A. Five Avaya Messaging Application Server (MAS) systems handling voice processing with a sixth acting as a Supplementary Server
- B. Six Avaya Messaging Application Server (MAS) systems handling voice processing with the sixth acting as a Supplementary Server
- C. Ten Avaya Messaging Application Server (MAS) systems handling voice processing with an eleventh acting as a Supplementary Server
- D. Eleven Avaya Messaging Application Server (MAS) systems handling voice processing with a twelfth acting as a Supplementary Server

#### **Answer:** C

#### **QUESTION:** 3

A single Modular Messaging 3.1 for Exchange Message Application Server called MYMAS1 is running all services, including Call Me. In Voice Mail System Configuration, Call Me is enabled. The subscriber mailbox has the Allow Call Me option selected, and the mailbox is using the default rule to a valid external phone number of 915305558956. During acceptance testing, this phone number never rings with a Call Me call when a message is left in the mailbox. What are two reasons that the Call Me call doesn't reach the specified number? (Choose two.)

- A. A restriction in the PBX is preventing the outcall.
- B. The Call Me dialing rules are configured to not require the 91 before the rest of the number.
- C. The Call Me port group is set to None in Voice Mail System Configuration, Message Application Servers, MYMAS1, Port Groups, Usage tab.

D. In Voice Mail System Configuration, Call Me, the Message Application Server running the Call Me service is identified, but the Message Application Servers that make the calls are not in the list.

**Answer:** A, C

#### **QUESTION:** 4

Which three are configured using the Voice Mail System Configuration Tool? (Choose three.)

- A. Auto Attendant
- B. Class of Service
- C. Maximum mailbox size
- D. The number of digits in a mailbox

**Answer:** A, B, D

#### **QUESTION:** 5

You are installing Modular Messaging 3.1 for Exchange along with Message Networking 3.1 so the customer can continue to send and receive voice messages to the rest of the organization's voice mail systems. They will continue to do this until the entire organization has been migrated to Modular Messaging; they realize that the Message Networking system is therefore a temporary solution. What is required to meet the customer's needs as defined above?

- A. Message Networking must be installed on S3500 hardware.
- B. The Message Networking server must have at least one analog port board.
- C. The Modular Messaging license file must include the right to use Octel Analog Networking.
- D. One of the Modular Messaging Message Application Servers must have at least one analog port board.

**Answer:** B

#### **QUESTION:** 6

You are implementing a new Modular Messaging for Microsoft Exchange system for a customer with three Avaya Messaging Application Servers (MASs) connected to a single, large Microsoft Exchange Server. The customer enables offline storage for the Voice Mail Domain. Which two statements are true about offline storage in this environment? (Choose two.)

- A. Messages received by any MAS are stored in both the local spool folder on the MAS and in the path specified in VMSC.
- B. The customer should allocate on the offline store approximately 10 GB of storage space per hour of message storage anticipated.
- C. The Voice Mail Domain should be configured for an offline storage location in the format \\servername\location or \\<ip address>\location.
- D. If a user calls a given MAS that has become disconnected from the customer's Ethernet they will not be able to retrieve any messages.

#### **Answer:** A, C

#### **QUESTION:** 7

Which two statements are true about a customer-provided Avaya Messaging Application Server (MAS) for Modular Messaging for Microsoft Exchange that has Dialogic cards? (Choose two.)

- A. Only Dialogic Analog CLAN is supported.
- B. You must set the jumpers and switches as required.
- C. You use the MAS software media for Dialogic Drivers.
- D. The latest drivers are downloaded from the Dialogic website.

#### **Answer:** B, C

#### **QUESTION: 8**

A Modular Messaging 3.1 for Exchange user in London, England, wants to use the Telephone User Interface to send a message to a Modular Messaging 1.1 for Exchange user in Los Angeles, California. The two locations share an Exchange Organization but the users are in different Voice Mail Domains. How can this be accomplished?

- A. The sender must address the message to the Numeric Address of the recipient.
- B. The Octel Analog Networking connector must be installed and configured in Exchange.
- C. This is not possible; the sender and recipient must be in the same Voice Mail Domain or the sender has to call the recipient.
- D. The sender must address the message to the address of the recipient that represents the recipient on the Message Networking server.

#### **Answer:** A

#### **QUESTION:** 9



### OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams updated on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- No authorization code required to open exam.
- Portable anywhere.
- 100% success Guarantee.
- Fast, helpful support 24x7.

View list of All exams we offer: http://www.officialcerts.com/allexams.asp

To contact our Support;

http://www.officialcerts.com/support.asp

View FAQs

http://www.officialcerts.com/faq.asp

Download All Exams Samples

http://www.officialcerts.com/samples.asp

To purchase Full Version and updated exam; http://www.officialcerts.com/allexams.asp

3COM ADOBE APC Apple BEA BICSI CheckPoint Cisco	CompTIA ComputerAssociates CWNP DELL ECCouncil EMC Enterasys ExamExpress Evin	Filemaker Fortinet Foundry Fujitsu GuidanceSoftware HDI Hitachi HP	IBM IISFA Intel ISACA ISC2 ISEB ISM Juniper	LPI McAfee McData Microsoft Mile2 NetworkAppliance Network-General Nokia
Cisco	ExamExpress Exin ExtremeNetworks	HP	Juniper	Nokia
Citrix		Huawei	Legato	Nortel
CIW		Hyperion	Lotus	Novell

















**OMG** 

Oracle





Sybase

Sun



