

# 1Z0-051

## Oracle

### *Oracle Database 11g : SQL Fundamentals I*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 1Z0-051 exam in first attempt and also get high scores to acquire Oracle certification.*

*If you use OfficialCerts 1Z0-051 Certification questions and answers, you will experience actual 1Z0-051 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Oracle exam prep covers over 95% of the questions and answers that may be appeared in your 1Z0-051 exam. Every point from pass4sure 1Z0-051 PDF, 1Z0-051 review will help you take Oracle 1Z0-051 exam much easier and become Oracle certified.*

*Here's what you can expect from the OfficialCerts Oracle 1Z0-051 course:*

- \* Up-to-Date Oracle 1Z0-051 questions as experienced in the real exam.*
- \* 100% correct Oracle 1Z0-051 answers you simply can't find in other 1Z0-051 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 1Z0-051 PDF.*
- \* Oracle 1Z0-051 brain dump free content featuring the real 1Z0-051 test questions.*

*Oracle 1Z0-051 certification exam is of core importance both in your Professional life and Oracle certification path. With Oracle certification you can get a good job easily in the market and get on your path for success. Professionals who passed Oracle 1Z0-051 exam training are an absolute favorite in the industry. You will pass Oracle 1Z0-051 certification test and career opportunities will be open for you.*

<http://janetdailey.com/?certs=exams.asp?examcode=1Z0-051>



**QUESTION: 1**

Evaluate the SQL statement:

```
TRUNCATE TABLE DEPT;
```

Which three are true about the SQL statement? (Choose three.)

- A. It releases the storage space used by the table.
- B. It does not release the storage space used by the table.
- C. You can roll back the deletion of rows after the statement executes.
- D. You can NOT roll back the deletion of rows after the statement executes.
- E. An attempt to use DESCRIBE on the DEPT table after the TRUNCATE statement executes will display an error.
- F. You must be the owner of the table or have DELETE ANY TABLE system privileges to truncate the DEPT table

**Answer:** A, D, F

**Explanation:**

A: The TRUNCATE TABLE Statement releases storage space used by the table, D: Can not rollback the deletion of rows after the statement executes,

F: You must be the owner of the table or have DELETE ANY TABLE system privilege to truncate the DEPT table.

**Incorrect answer:** C is not true

Dis not true

E is not true

**Reference:**

Introduction to Oracle9i: SQL, Oracle University Study Guide, 8-18

**QUESTION: 2**

You need to design a student registration database that contains several tables storing academic information.

The STUDENTS table stores information about a student. The STUDENT\_GRADES table stores information about the student's grades. Both of the tables have a column named STUDENT\_ID. The STUDENT\_ID column in the STUDENTS table is a primary key.

You need to create a foreign key on the STUDENT\_ID column of the STUDENT\_GRADES table that points to the STUDENT\_ID column of the STUDENTS table. Which statement creates the foreign key?

- A. CREATE TABLE student\_grades (student\_id NUMBER(12),semester\_end DATE, gpa NUMBER(4,3), CONSTRAINT student\_id\_fk REFERENCES (student\_id) FOREIGN KEY students(student\_id));
- B. CREATE TABLE student\_grades(student\_id NUMBER(12),semester\_end DATE, gpa NUMBER(4,3), student\_id\_fk FOREIGN KEY (student\_id) REFERENCES students(student\_id));
- C. CREATE TABLE student\_grades(student\_id NUMBER(12),semester\_end DATE, gpa NUMBER(4,3), CONSTRAINT FOREIGN KEY (student\_id) REFERENCES students(student\_id));
- D. CREATE TABLE student\_grades(student\_id NUMBER(12),semester\_end DATE, gpa NUMBER(4,3), CONSTRAINT student\_id\_fk FOREIGN KEY (student\_id) REFERENCES students(student\_id));

**Answer:** D

**Explanation:**

CONSTRAINT name FOREIGN KEY (column\_name) REFERENCES table\_name (column\_name); **Incorrect answer:** Ainvalid syntax Binvalid syntax Cinvalid syntax

**Reference:**

Introduction to Oracle9i: SQL, Oracle University Study Guide, 10-14

**QUESTION:** 3

Here is the structure and data of the CUST\_TRANS table:

Exhibit:

CUST_TRANS		
Name	Null?	Type
-----	-----	-----
CUSTNO	NOT NULL	CHAR(2)
TRANSDATE	DATE	
TRANSAMT		NUMBER(6,2)
CUSTNO	TRANSDATE	TRANSAMT
-----	-----	-----
11	01-JAN-07	1000
22	01-FEB-07	2000
33	01-MAR-07	3000

Dates are stored in the default date format dd-mm-rr in the CUST\_TRANS table. Which three SQL statements would execute successfully? (Choose three.)

- A. SELECT transdate + '10' FROM cust\_trans;
- B. SELECT \* FROM cust\_trans WHERE transdate = '01-01-07';
- C. SELECT transamt FROM cust\_trans WHERE custno > '11';
- D. SELECT \* FROM cust\_trans WHERE transdate='01-JANUARY-07';
- E. SELECT custno + 'A' FROM cust\_trans WHERE transamt > 2000;

**Answer:** A, C, D

**QUESTION: 4**

See the Exhibit and examine the structure and data in the INVOICE table:

Exhibit:

INVOICE			
Name	Null?	Type	
INV_NO	NOT NULL	NUMBER(3)	
INV_DATE		DATE	
CUST_ID		VARCHAR2(4)	
INV_AMT		NUMBER(8,2)	

  

INV_NO	INV_DATE	CUST_ID	INV_AMT
1	01-APR-07	A1Q	1000
2	01-OCT-07	B1R	2000
3	01-FEB-07		3000

Which two SQL statements would execute successfully? (Choose two.)

- A. SELECT MAX(inv\_date),MIN(cust\_id) FROM invoice;
- B. SELECT MAX(AVG(SYSDATE - inv\_date)) FROM invoice;
- C. SELECT (AVG(inv\_date) FROM invoice;
- D. SELECT AVG(inv\_date - SYSDATE),AVG(inv\_amt) FROM invoice;

**Answer:** A, D

**QUESTION: 5**

Which three statements are true regarding sub queries? (Choose three.)

- A. Multiple columns or expressions can be compared between the main query and sub query
- B. Main query and sub query can get data from different tables
- C. Sub queries can contain GROUP BY and ORDER BY clauses
- D. Main query and sub query must get data from the same tables
- E. Sub queries can contain ORDER BY but not the GROUP BY clause
- F. Only one column or expression can be compared between the main query and subquery

**Answer:** A, B, C

**QUESTION: 6**

See the Exhibit and examine the structure of the CUSTOMERS table:

Table CUSTOMERS		
Name	Null?	Type
CUST_ID	NOT NULL	NUMBER
CUST_FIRST_NAME	NOT NULL	VARCHAR2 (20)
CUST_LAST_NAME	NOT NULL	VARCHAR2 (40)
CUST_GENDER	NOT NULL	CHAR (1)
CUST_YEAR_OF_BIRTH	NOT NULL	NUMBER (4)
CUST_MARITAL_STATUS		VARCHAR2 (20)
CUST_STREET_ADDRESS	NOT NULL	VARCHAR2 (40)
CUST_POSTAL_CODE	NOT NULL	VARCHAR2 (10)
CUST_CITY	NOT NULL	VARCHAR2 (30)
CUST_STATE_PROVINCE	NOT NULL	VARCHAR2 (40)
COUNTRY_ID	NOT NULL	NUMBER
CUST_INCOME_LEVEL		VARCHAR2 (30)
CUST_CREDIT_LIMIT		NUMBER
CUST_EMAIL		VARCHAR2 (30)

Using the CUSTOMERS table, you need to generate a report that shown the average credit limit for customers in WASHINGTON and NEW YORK.

Which SQL statement would produce the required result?

A.

```
SELECT cust_city, AVG(cust_credit_limit) FROM customers
WHERE cust_city IN ('WASHINGTON','NEW YORK') GROUP BY
cust_credit_limit, cust_city;
```

B.

```
SELECT cust_city, AVG(cust_credit_limit) FROM customers
WHERE cust_city IN ('WASHINGTON','NEW YORK') GROUP BY
cust_city,cust_credit_limit;
```

C.

```
SELECT cust_city, AVG(cust_credit_limit) FROM customers
WHERE cust_city IN ('WASHINGTON','NEW YORK') GROUP BY
cust_city;
```

D.

```
SELECT cust_city, AVG(NVL(cust_credit_limit,0)) FROM customers
WHERE cust_city IN ('WASHINGTON','NEW YORK');
```

**Answer:** C

**Explanation:**

Creating Groups of Data: GROUP BY Clause Syntax

You can use the GROUP BY clause to divide the rows in a table into groups. You can then use the group functions to return summary information for each group. In the syntax:

group\_by\_expression Specifies the columns whose values determine the basis for grouping rows

Guidelines

- If you include a group function in a SELECT clause, you cannot select individual results as well, unless the individual column appears in the GROUP BY clause. You receive an error message if you fail to include the column list in the GROUP BY clause.
- Using a WHERE clause, you can exclude rows before dividing them into groups.
- You must include the columns in the GROUP BY clause.
- You cannot use a column alias in the GROUP BY clause.

**QUESTION:** 7

Evaluate these two SQL statements:

```
SELECT last_name, salary, hire_date FROM EMPLOYEES ORDER BY
salary DESC;
```

```
SELECT last_name, salary, hire_date FROM EMPLOYEES ORDER BY 2
DESC;
```

What is true about them?

- A. The two statements produce identical results.
- B. The second statement returns a syntax error.
- C. There is no need to specify DESC because the results are sorted in descending order by default.
- D. The two statements can be made to produce identical results by adding a column alias for the salary column in the second SQL statement.

**Answer:** A

**Explanation:**

the two statement produce identical results as ORDER BY 2 will take the second column as sorting column.

**Incorrect answer:**

Bthere is no syntax error

Cresult are sorted in ascending order by default

DORDER BY 2 will take the second column as sorting column.

**Reference:**

Introduction to Oracle9i: SQL, Oracle University Study Guide, 2-22

**QUESTION:** 8

Where can sub queries be used? (Choose all that apply)

- A. field names in the SELECT statement
- B. the FROM clause in the SELECT statement
- C. the HAVING clause in the SELECT statement
- D. the GROUP BY clause in the SELECT statement
- E. the WHERE clause in only the SELECT statement
- F. the WHERE clause in SELECT as well as all DML statements

**Answer:** A, B, C, F

**Explanation:**

SUBQUERIES can be used in the SELECT list and in the FROM, WHERE, and HAVING clauses of a query.

A subquery can have any of the usual clauses for selection and projection. The following are required clauses:

A SELECT list

A FROM clause

The following are optional clauses:

WHERE

GROUP BY

HAVING

The subquery (or subqueries) within a statement must be executed before the parent query that calls it, in order that the results of the subquery can be passed to the parent.

**QUESTION: 9**

Which three SQL statements would display the value 1890.55 as \$1,890.55?  
(Choose three.)

A.

SELECT TO\_CHAR(1890.55,'\$99G999D00') FROM DUAL;

B.

SELECT TO\_CHAR(1890.55,'\$9,999V99') FROM DUAL;

C.

SELECT TO\_CHAR(1890.55,'\$0G000D00') FROM DUAL;

D.

SELECT TO\_CHAR(1890.55,'\$99G999D99') FROM DUAL;

E.

SELECT TO\_CHAR(1890.55,'\$9,999D99') FROM DUAL;

**Answer:** A, C, D

**QUESTION: 10**

Evaluate the following SQL statement:



```
SQL> SELECT promo_id, promo_category
FROM promotions
WHERE promo_category = 'Internet' ORDER BY 2 DESC
UNION
SELECT promo_id, promo_category
FROM promotions
WHERE promo_category = 'TV'
UNION
SELECT promo_id, promo_category
FROM promotions
WHERE promo_category = 'Radio';
```

Which statement is true regarding the outcome of the above query?

- A. It produces an error because the ORDER BY clause should appear only at the end of a compound query-that is, with the last SELECT statement
- B. It executes successfully and displays rows in the descending order of PROMO\_CATEGORY
- C. It executes successfully but ignores the ORDER BY clause because it is not located at the end of the compound statement
- D. It produces an error because positional notation cannot be used in the ORDER BY clause with SET operators

**Answer:** A

**Explanation:**

Using the ORDER BY Clause in Set Operations

The ORDER BY clause can appear only once at the end of the compound query. Component queries cannot have individual ORDER BY clauses.

The ORDER BY clause recognizes only the columns of the first SELECT query. By default, the first column of the first SELECT query is used to sort the output in an ascending order.

**QUESTION:** 11

Which statement correctly describes SQL and /SQL\*Plus?

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

