642-652

Cisco

Wide Area Application Services for Field Engineers

Visit: http://www.pass4sureofficial.com/exams.asp?examcode=642-652

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 642-652 exam in first attempt, but also you can get a high score to acquire Cisco certification.

If you use pass4sureofficial 642-652 Certification questions and answers, you will experience actual 642-652 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Cisco exam prep covers over 95% of the questions and answers that may be appeared in your 642-652 exam. Every point from pass4sure 642-652 PDF, 642-652 review will help you take Cisco 642-652 exam much easier and become Cisco certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial Cisco 642-652 course:

* Up-to-Date Cisco 642-652 questions taken from the real exam.
* 100% correct Cisco 642-652 answers you simply can't find in other 642-652 courses.
* All of our tests are easy to download. Your file will be saved as a 642-652 PDF.
* Cisco 642-652 brain dump free content featuring the real 642-652 test questions.

Cisco 642-652 certification exam is of core importance both in your Professional life and Cisco certification path. With Cisco certification you can get a good job easily in the market and get on your path for success. Professionals who passed Cisco 642-652 exam training are an absolute favorite in the industry. You will pass Cisco 642-652 certification test and career opportunities will be open for you.

Question: 1
After configuring a Cisco WAAS deployment using WCCPv2, you find that you can successfully ping a data center server from a workstation in the branch office. However, when you attempt to start one of the optimized applications, the application cannot communicate with the server. What is the most likely cause?

A - There is insufficient disk space on either the edge or core WAE.
B - You configured half-duplex mode on the WAE interfaces.
C - You configured auto negotiate duplex mode on the WAE interfaces.
D - You deployed the WAE on the same subnet as the users or servers.

Answer: D

Question: 2
Your customer plans to deploy the edge WAE appliances in an off-path, two-arm configuration.

The WAE appliances are connected to Cisco Catalyst 6500 Series Switches and use WCCPv2 for traffic interception. The customer wants to minimize the latency added by interception. The customer also wants to know if Layer 2 redirection, rather than GRE tunnels, will improve performance.

What should you tell your customer?

A - Layer 2 redirection can be used only in in-path configurations.
B - Layer 2 redirection can be used only in one-arm configurations.
C - Layer 2 redirection can be used in the customer configuration.
D - GRE tunnels provide better performance than Layer 2 redirection.

Answer: C

Question: 3
When implementing Windows authentication for WAE management, what is the maximum allowable time skew between each WAE and the Windows domain controller?

A - 1 second
B - 5 seconds
C - 120 seconds

PASS4SUREOfficial.com