

70-573

Microsoft

TS - Microsoft SharePoint 2010, Application Development

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 70-573 exam in first attempt and also get high scores to acquire Microsoft certification.

If you use OfficialCerts 70-573 Certification questions and answers, you will experience actual 70-573 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Microsoft exam prep covers over 95% of the questions and answers that may be appeared in your 70-573 exam. Every point from pass4sure 70-573 PDF, 70-573 review will help you take Microsoft 70-573 exam much easier and become Microsoft certified.

Here's what you can expect from the OfficialCerts Microsoft 70-573 course:

- * Up-to-Date Microsoft 70-573 questions as experienced in the real exam.*
- * 100% correct Microsoft 70-573 answers you simply can't find in other 70-573 courses.*
- * All of our tests are easy to download. Your file will be saved as a 70-573 PDF.*
- * Microsoft 70-573 brain dump free content featuring the real 70-573 test questions.*

Microsoft 70-573 certification exam is of core importance both in your Professional life and Microsoft certification path. With Microsoft certification you can get a good job easily in the market and get on your path for success. Professionals who passed Microsoft 70-573 exam training are an absolute favorite in the industry. You will pass Microsoft 70-573 certification test and career opportunities will be open for you.

<http://janetdailey.com/?certs=exams.asp?examcode=70-573>



Exam Name:	TS: Microsoft SharePoint 2010, Application Development		
Exam Type:	Microsoft		
Exam Code:	70-573 C-Sharp	Total Question	149

Question: 1

You are creating a Web Part. The Web Part will be used in a SharePoint sub site that has the URL <http://www.contoso/hr>. You need to ensure that the Web Part activates a Feature in the sub site without causing a memory leak. Which code segment should you use?

- A. `SPFeatureCollection featuresCollect = SPContext.Current.SiteFeatures; featureCollect.Add(new Guid("xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx"), true);`
- B. `SPFeatureCollection featuresCollect = SPContext.Current.WebFeatures; featureCollect.Add(new Guid("xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx"), true);`
- C. `SPSite web = new SPSite("http://www.contoso/hr"); SPFeatureCollection featureCollect = web.Features; featureCollect.Add(new Guid("xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx"), true);`
- D. `SPWeb web = new SPSite("http://www.contoso/hr").OpenWeb(); SPFeatureCollection featureCollect = web.Features; featureCollect.Add(new Guid("xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx"), true);`

Answer: B

Question: 2

You create a Web Part that takes three values from three text boxes and creates a new SharePoint site when you click a button named CreateNewSite. The Web Part contains the following code segment.

```
Protected void CreateNewSite_Click(object sender, EventArgs e)
{
    SPSite site = SPContext.Current.Site; SPWeb web = site.AllWebs.Add(SiteNameTextBox.Text, SiteTitleTextBox.Text, SiteDescriptionTextBox.Text, 0, SPWebTemplate.WebTemplateSTS, false, false);
}
```

You test the Web Part and it works properly. When another user attempts to use. You need to ensure that users can use the Web Part to create new sites. What should you do?

- A. Add `web.Update()` after the code segment.
- B. Add `web.ValidateFormDigest()` after the code segment.
- C. Run the code segment inside a `SPSecurity.RunWithElevatedPrivileges` delegate.
- D. Add the following code after the code segment. `SPUser currentUser = web.CurrentUser;`

Answer: C

Question: 3

You have a SharePoint site collection that contains 100 subsites. You plan to create a Web Part. The Web Part will be deployed to each subsite. You need to ensure that the Web Part retrieves all of the files in the root directory of the current subsite. You write the following code segment. (Line numbers are included for reference only.)

```
01 SPSite site = SPContext.Current.Site;
02 SPWeb web = SPContext.Current.Web;
03 Which code segment should you add at line
```

- A. `Site.AllWebs[1].Files`
- B. `SITE.RootWeb.Lists[0].Items`
- C. `Web.Files`
- D. `Web.RootFolder.SubFolders[0].Files`

Answer: C

Exam Name:	TS: Microsoft SharePoint 2010, Application Development		
Exam Type:	Microsoft		
Exam Code:	70-573 C-Sharp	Total Question	149

Question: 4

You have a SharePoint site that has the URL <http://contoso/hr>. You are creating a new Web Part. You need to create a reference to the current subsite without having to dispose of any returned objects. Which code segment should you use?

- A. SPWebCollection site = siteCollection.AllWebs;
- B. SPWeb site = siteCollection.RootWeb;
- C. SPSite site = SPContext.Current.Site;
- D. SPWeb site = SPContext.Current.Web;

Answer: D

Question: 5

You create a Feature named Feature1. Feature1 is activated in a SharePoint site. You create a Web Part that contains the following code.

```
SPSite site = new SPSite("http://intranet/site1");
```

```
SPWeb web = site.OpenWeb();
```

```
SPFeatureDefinition feature = SPFarm.Local.Feature Definitions ["Feature1"];
```

You need to modify the Web Part to activate Feature1 in Site1 only. Which code segment should you add to the Web Part?

- A. Site.Features.Add(feature.Id);
- B. Site.WebApplication.WebService.Features.Add(feature.Id);
- C. Web.Features.Add(feature.Id);
- D. Web.Site.WebApplication.WebService.Features.Add(feature.Id);

Answer: A

Question: 6

You have a SharePoint farm that has more than 100 custom Features. You upgrade several Features in the farm. You need to ensure that the site collection uses the most up-to-date versions of the Features. Only Features that require an upgrade must be evaluated. Which code segment should you use?

- A.

```
SPFeatureQueryResultCollection queryResults = myWebService.QueryFeatures
(SPFeatureScope.Site, true);
IEnumerator<SPFeature> featureEnumerator = queryResults.GetEnumerator();
While (featureEnumerator.MoveNext())
{
    SPFeature feature = featureEnumerator.Current;
    feature.Upgrade(false);
}
```
- B.

```
SPFeatureQueryResultCollection queryResults = myWebService.QueryFeatures
(SPFeatureScope.Web, true);
IEnumerator<SPFeature> featureEnumerator = queryResults.GetEnumerator();
While (featureEnumerator.MoveNext())
{
    SPFeature feature = featureEnumerator.Current;
    feature.Upgrade(false);
}
```
- C.

```
SPSite site = SPContext.Current.Site;
SPFeatureCollection allFeatures = site.Features;
for each (SPFeature currentFeature in allFeatures)
{
    currentFeature.Upgrade(true);
}
```

Exam Name:	TS: Microsoft SharePoint 2010, Application Development		
Exam Type:	Microsoft		
Exam Code:	70-573 C-Sharp	Total Question	149

```

}
D. SPWeb web = SPContext.Current.Web;
   SPFeatureCollection allFeatures = web.Features;
   for each (SPFeature currentFeature in allFeatures)
   {
       currentFeature.Upgrade(true);
   }

```

Answer: A

Question: 7

You are creating an application. You develop a custom control that renders a contextual tab. The control contains the following code segment. (Line numbers are included for reference only.)

```

01 protected override void OnPreRender(EventArgs e)
02 {
03     SPRibbon curRibbon = SPRibbon.GetCurrent(this.Page);
04
05     curRibbon.MakeContextualGroupInitiallyVisible("SP.Ribbon.ContextualGroup", string.Empty);
06     base.OnPreRender(e);
07 }

```

You need to ensure that when the custom control is rendered, the custom contextual tab appears in the Ribbon. Which code segment should you add at line 04?

- A. Curribbon.Enabled = true;
- B. Curribbon.MakeRTEContextualTabsAvailable("SP.Ribbon.ContextualTab");
- C. Curribbon.MakeTabAvailable("SP.Ribbon.ContextualTab");
- D. Curribbon.Visible = true;

Answer: C

Question: 8

You need to create a Web Part that hides the out-of-the-box Ribbon on the current page. Which code segment should you include in the Web Part?

- A. SPRibbon.GetCurrent(this.Page).mandUIVisible = false;
- B. SPRibbon.GetCurrent(this.Page).Dispose();
- C. This.Page.FindControl("SPRibbon").Dispose();
- D. This.Page.FindControl("SPRibbon").Visible = false;

Answer: A

Question: 9

You have a custom theme named MyTheme. The theme is defined in a file named MyTheme.thmx. You have a console application that contains the following code segment. (Line numbers are included for reference only.)

```

02 {
03     SPWeb web = site.OpenWeb();
05 }

```

You need to programmatically apply the theme to a SharePoint site. Which code segment should you add to the console application?

- A. ThmxTheme.SetThemeUrlForWeb(web, "/_catalogs/theme/MyTheme.thmx", false);

Exam Name:	TS: Microsoft SharePoint 2010, Application Development		
Exam Type:	Microsoft		
Exam Code:	70-573 C-Sharp	Total Question	149

Answer: A

Question: 10

You plan to develop a Web Part that displays a SharePoint list. The Web Part will verify the list permissions when users access by using the `web.CurrentUser.DoesUserHavePermissions` method. You need to ensure that when users do not have permissions to the list, the Web Part displays an error message. Which code segment should you add to the Web Part?

- A. `RunWithElevatedPrivileges`
- B. `Web.AllowUnsafeUpdates = true;`
- C. `Web.CurrentUser.RequireRequestToken = false;`
- D. `Web.ValidateFormDigest();`

Answer: A

Question: 11

You create a Web Part that contains the following code segment. (Line numbers are included for reference only.)

```

01 public class WebPart1 : WebPart
02 {
03     public WebPart1(){}
04
05     protected override void CreateChildControls()
06     {
07         Button clickButton = new Button();
08
09         base.CreateChildControls();
10     }
11
12     protected override void RenderContents(HtmlTextWriter writer)
13     {
14
15         base.RenderContents(writer);
16     }
17 }

```

You discover that the click Button does not appear. You need to ensure that click Button appears. What should you do?

- A. Delete line 09.
- B. Move line 07 to line 14.
- C. Add the following line of code at line 08.
`Controls.Add (click Button);`
- D. Add the following line of code at line 08.
`clickButton.Page = this.Page;`

Answer: C

Question: 12

You plan to create two Web Parts named Products and Product Details. You create an interface that contains the following code segment.

```

Public interface Interface1
{
String Productid { get; }
}

```

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

