

# 642-627

## Cisco

### Implementing Cisco Intrusion Prevention System (IPS) v7.0

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=642-627>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 642-627 exam in first attempt, but also you can get a high score to acquire Cisco certification.

If you use pass4sureofficial 642-627 Certification questions and answers, you will experience actual 642-627 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Cisco exam prep covers over 95% of the questions and answers that may be appeared in your 642-627 exam. Every point from pass4sure 642-627 PDF, 642-627 review will help you take Cisco 642-627 exam much easier and become Cisco certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial Cisco 642-627 course:

- \* Up-to-Date Cisco 642-627 questions taken from the real exam.
- \* 100% correct Cisco 642-627 answers you simply can't find in other 642-627 courses.
- \* All of our tests are easy to download. Your file will be saved as a 642-627 PDF.
- \* Cisco 642-627 brain dump free content featuring the real 642-627 test questions.

Cisco 642-627 certification exam is of core importance both in your Professional life and Cisco certification path. With Cisco certification you can get a good job easily in the market and get on your path for success. Professionals who passed Cisco 642-627 exam training are an absolute favorite in the industry. You will pass Cisco 642-627 certification test and career opportunities will be open for you.



**QUESTION: 1**

Which three are global correlation network participation modes? (Choose three.)

- A. off
- B. partial participation
- C. reputation filtering
- D. detect
- E. full participation
- F. learning

**Answer:** A, B, E

**QUESTION: 2**

**DRAG DROP**

Click and drag the Cisco IPS module on the left to the correct device that it supports on the right.

AIP-SSM	ISR
IDSM-2	ASA 5520
IPS AIM or IPS NME	Catalyst 6500
AIP-SSC	ASA 5505

**Answer:**

Click and drag the Cisco IPS module on the left to the correct device that it supports on the right.

AIP-SSM	IPS AIM or IPS NME
IDSM-2	AIP-SSM
IPS AIM or IPS NME	IDSM-2
AIP-SSC	AIP-SSC

**Explanation:**

IPS AIM or IPS NME

AIP-SSM

IDSM-2

AIP-SSC

**QUESTION: 3**

What are four properties of an IPS signature? (Choose four.)

- A. reputation rating
- B. fidelity rating

- C. summarization strategy
- D. signature engine
- E. global correlation mode
- F. signature ID and signature status

**Answer:** B, C, D, F

**QUESTION: 4**

The custom signature ID of a Cisco IPS appliance has which range of values?

- A. 10000 to 19999
- B. 20000 to 29999
- C. 50000 to 59999
- D. 60000 to 65000
- E. 80000 to 90000
- F. 1 to 20000

**Answer:** D

**QUESTION: 5**

When upgrading a Cisco IPS AIM or IPS NME using manual upgrade, what must be performed before installing the upgrade?

- A. Disable the heartbeat reset on the router.
- B. Enable fail-open IPS mode.
- C. Enable the Router Blade Configuration Protocol.
- D. Gracefully halt the operating system on the Cisco IPS AIM or IPS NME

**Answer:** A

**QUESTION: 6**

Which Cisco IPS NME interface is visible to the NME module but not visible in the router configuration and acts as the sensing interface of the NME module?

- A. ids-sensor 0/1 interface
- B. ids-sensor 1/0 interface
- C. gigabitEthernet 0/1
- D. gigabitEthernet 1/0

- E. management 0/1
- F. management 1/0

**Answer:** C

**QUESTION:** 7

Which two methods can be used together to configure a Cisco IPS signature set into detection mode when tuning the Cisco IPS appliance to reduce false positives? (Choose two.)

- A. Subtract all aggressive actions using event action filters.
- B. Enable anomaly detection learning mode.
- C. Enable verbose alerts using event action overrides.
- D. Decrease the number of events required to trigger the signature.
- E. Increase the maximum inter-event interval of the signature.

**Answer:** A, E

**QUESTION:** 8

In which CLI configuration mode is the Cisco IPS appliance management IP address configured?

- A. global configuration ips(config)#
- B. service network-access ips(config-net)#
- C. service host network-settings ips(config-hos-net)#
- D. service interface ips(config-int)#

**Answer:** C

**QUESTION:** 9

Which four parameters are used to configure how often the Cisco IPS appliance generates alerts when a signature is firing? (Choose four.)

- A. summary mode
- B. summary interval
- C. event count key
- D. global summary threshold
- E. summary key
- F. event count

- G. summary count
- H. event alert mode

**Answer:** A, B, D, F

**QUESTION:** 10

Which three Cisco IPS cross-launch capabilities do Cisco Security Manager and Cisco Security MARS support? (Choose three.)

- A. Edit IPS signatures in Cisco Security Manager from a Cisco Security MARS query.
- B. Create custom signatures in Cisco Security Manager from a Cisco Security MARS query.
- C. Create event action filters in Cisco Security Manager from a Cisco Security MARS query.
- D. Create a Cisco Security MARS drop rule from Cisco Security Manager policy.
- E. Create a Cisco Security MARS user inspection rule from Cisco Security Manager policy.
- F. Query Cisco Security MARS from Cisco Security Manager policy.

**Answer:** C, E, F

**QUESTION:** 11

Which statement about inline VLAN pair deployment with the Cisco IPS 4200 Series appliance is true?

- A. The sensing interface acts as an 802.1q trunk port, and the Cisco IPS appliance performs VLAN translation between pairs of VLANs.
- B. The Cisco IPS appliance connects to two physically distinct switches using two paired physical interfaces.
- C. Two sensing interfaces connect to the same switch that forwards traffic between two VLANs.
- D. The pair of sensing interfaces can be selectively divided (virtualized) into multiple logical "wires" by VLANs that can be analyzed separately

**Answer:** A

**QUESTION:** 12

Which four statements about Cisco IPS appliance anomaly detection histograms are true? (Choose four.)

- A. Histograms are learned or configured manually.

## Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

