

# 117-201

## LPI

### *Linux-Linux Advanced Administration*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 117-201 exam in first attempt and also get high scores to acquire LPI certification.*

*If you use OfficialCerts 117-201 Certification questions and answers, you will experience actual 117-201 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our LPI exam prep covers over 95% of the questions and answers that may be appeared in your 117-201 exam. Every point from pass4sure 117-201 PDF, 117-201 review will help you take LPI 117-201 exam much easier and become LPI certified.*

*Here's what you can expect from the OfficialCerts LPI 117-201 course:*

- \* Up-to-Date LPI 117-201 questions as experienced in the real exam.*
- \* 100% correct LPI 117-201 answers you simply can't find in other 117-201 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 117-201 PDF.*
- \* LPI 117-201 brain dump free content featuring the real 117-201 test questions.*

*LPI 117-201 certification exam is of core importance both in your Professional life and LPI certification path. With LPI certification you can get a good job easily in the market and get on your path for success. Professionals who passed LPI 117-201 exam training are an absolute favorite in the industry. You will pass LPI 117-201 certification test and career opportunities will be open for you.*

<http://janetdailey.com/?certs=exams.asp?examcode=117-201>



**Question: 1**

Which two utilities can you use to set up a job to run at a specified time?

- A. at and crond
- B. at run and crontab
- C. at and crontab
- D. atd and crond

**Answer: C**

**Explanation:**

The 'at' command is used to execute commands at a specified time and optional date. A cron job is a program or script scheduled at a specified time. The 'crontab' program is used to create user cron jobs.

**Reference:**

<http://www.oreillynet.com/linux/cmd/a/at.html>

<http://www.oreillynet.com/linux/cmd/c/crontab.html>

**Incorrect Answers.**

- A: The Cron daemon (crond) is the program that runs the cron job at the specified time. It is not used to set up a cron job.
- B: At run is used to run jobs scheduled by the 'at' program. It is not used to set up a job to run at a specified time.
- D: Atd is the 'at' deamon. Similar to the cron daemon, the program runs the jobs scheduled with the 'at' command.

**Question: 2**

After creating a backup of the users home directories called backup.cpio you are asked to restore a file called memo.ben. What command should you type?

- A. cpio -iF backup.cpio memo.ben

**Answer: A**

**Explanation:**

The 'cpio' command is used to create backups or restore files from a backup. The -i option is to extract something. The F option is to specify a file. Here we are extracting memo.ben from a file named backup.cpio.

**Reference:**

<http://www.oreillynet.com/linux/cmd/c/cpio.html>

**Question: 3**

You wish to restore the file memo.ben which was backed up in the tarfile MyBackup.tar. What command should you type?

- A. tar xf MyBackup.tar memo.ben

**Answer: A**

**Explanation:**

Tarfiles are created using the 'tar' utility. Therefore, you should use the 'tar' utility to extract the files. The x option is to extract and the f option is to specify a filename to extract from.

**Reference:**

<http://www.oreillynet.com/linux/cmd/t/tar.html>

**Question: 4**

When is the most important time to restore a file from your backup?

- A. On a regular scheduled basis to verify that the data is available.
- B. When the system crashes.
- C. When a user inadvertently loses a file.
- D. When your boss asks to see how restoring a file works.

**Answer: A**

**Explanation:**

According to 'best practice', you should regularly restore files to verify that your backup procedures are working. It's no good backing up files regularly if you are unable to restore files when needed.

**Incorrect Answers:**

- B: When the system crashes, you may need to restore your whole system. However, this shouldn't be the only time you restore files.
- C: When a user loses a file, it will need to be restored. However, you should prepare for this eventuality by regularly testing your backup/restore process to ensure you are able to restore a file when needed.
- D: When your boss asks to see how restoring a file works, you want it to work when you show him. This is why you should test your backup/restore processes.

**Question: 5**

Which one of the following factors does not play a role in choosing the type of backup media to use?

- A. How frequently a file changes.
- B. How long you need to retain the backup.
- C. How much data needs to be backed up.
- D. How frequently the backed up data needs to be accessed.

**Answer: A**

**Explanation:**

Your choice of backup media will depend on its capacity, its shelf life and the time it takes to access the data. The frequency of file changes is irrelevant.

**Incorrect Answers:**

- B: Different backup media can be kept for varying periods of time. You should find out from the manufacturers how long a backup media can be kept without losing its data.
- C: Obviously, your choice of backup media will depend on the amount of data to be backed up. For example, a CD-ROM can hold around 700MB of data while tapes can hold up to hundreds of gigabytes of data.
- D: Your choice of backup media will also depend on the time it takes to retrieve data from the media. Reading data from a CD-ROM or DVD is much quicker than reading data from a tape.

**Question: 6**

You attempt to log out but receive an error message that you cannot. When you issue the jobs

command, you see a process that is running in the background. How can you fix this so that you can logout?

- A. Issue the kill command with the PID of each running command of the pipeline as an argument.
- B. Issue the kill command with the job number as an argument.
- C. Issue the kill command with the PID of the last command as an argument.
- D. Issue the kill command without any arguments.

**Answer: C**

**Explanation:**

The kill command is used to send a signal to kill one or more process IDs. You must own the process or be a privileged user, otherwise the kill command will be ignored.

**Reference:**

<http://www.oreillynet.com/linux/cmd/k/kill.html>

**Incorrect Answers**

- A: You need to end the background process. You know its process ID; therefore you should issue the process ID with the kill command to kill the appropriate process.
- B: You cannot use the job number with the kill command. You should use the process ID or process name.
- D: The kill command won't work if it doesn't know what process you want it to kill.

**Question: 7**

The top utility can be used to change the priority of a running process? Another utility that can also be used to change priority is\_\_\_\_\_?

- A. nice

**Answer: A**

**Explanation:**

The 'nice' command enables you to run a command with a different priority. Nice -n <adjustment> command, increments the priority of 'command' by <adjustment>. You can increase the priority of a command by specifying a negative adjustment. For example, 'nice -n-5 command' will run 'command' with the priority increased by 5.

**Reference:**

<http://www.oreillynet.com/linux/cmd/n/nice.html>

**Question: 8**

You need to search the entire directory structure to locate a specific file. How could you do this and still be able to run other commands while the find command is still searching for your file?

- A. find / -name filename &
- B. find / -name filename
- C. bg find / -name filename
- D. &find / -name filename &

**Answer: A**

**Explanation:**

The find command is used to locate files. / is the root directory, so searching from / will

search the entire directory tree. The `-name <filename>` enables you to search for a file named `<filename>`. The ampersand character (`&`) is used to return control of the shell returning you to the command prompt, without have to wait for the command to execute.

**Reference:**

<http://www.oreillynet.com/linux/cmd/f/find.html>

**Incorrect Answers**

B: With no ampersand (`&`) following the command, you will not be able to run other commands until the find command has completed its search.

C: The `bg` command is used to run a suspended job in the background if job control is enabled.

However,

the program or command would have to started and then suspended for this to work.

D: The ampersand (`&`) must follow the command, not precede it.

**Question: 9**

In order to display the last five commands you have entered using the history command, you would type \_\_\_\_\_.

A. history 5

**Answer: A**

**Explanation:**

The history command is used to display the previously entered commands. If you typed history with no arguments, you would likely get a long scrolling list of commands. By typing a number after 'history', you will display only the last `<number>` of commands.

**Reference:**

<http://www.redhat.com/docs/manuals/linux/RHL-7.3-Manual/getting-started-guide/s1-q-and-ahistory-tips.html>

**Question: 10**

You telnet into several of your servers simultaneously. During the day, you sometimes get confused as to which telnet session is connected to which server. Which of the following commands in your `.profile` would make it obvious to which server you are attached?

A. `PS1='\h: \w>'`

B. `PS1='\s: \W>'`

C. `PS1='\!: \t>'`

D. `PS1='\a: \n>'`

**Answer: A**

**Explanation:**

The `PS1` environment variable controls the prompt on the command line, and can be used by users to tell what system they are on, the directory they are currently in, the current date and more depending on how this variable is configured. The `\h` option is used to specify the hostname and the `\w` option will give the full path of the current working directory.

**Reference:**

<http://ctdp.tripod.com/os/linux/tips/tipsps1.html>

**Incorrect Answers:**

B: The `\s` option is used to display the shell name. This won't give any indication of which

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

